



SOLO

COD. 3850009/444

TYPE SOLO

DATE 24.01.2000

PAGE 2/7

| POSITION | CODE | DESCRIPTION | MODEL | NOTE | POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|----------|---------|--|-------|----------------------|----------|---------|---|-------|----------------------|
| 1 | 6062804 | Testata posteriore Elemento posterior Elément postérieur Rear section | | | | | Cuvette | | 30 |
| | | | | | | | Tray | | 30 |
| 2 | 6098810 | Isolante portina camera combustione Aislante puerta posterior Isolation porte postérieure Combust. chamber rear door insulation | | | 7 B | 6275203 | Bacinella Bandeja de recolección Cuvette Tray | | 40 40 40 40 |
| 3 | 6062701 | Elemento intermedio Elemento intermedio Elément intermédiaire Intermediate section | | | 8 | 2000001 | Vite TE M6x20 Tornillos TE M6X20 AR Vis TE M6x20 Hex. screw M6x20 | | |
| 4 | 6062606 | Testata anteriore Elemento delantero Elément antérieur Front section | | | 9 | 6236400 | Squadra fissaggio testata anteriore Angular de fijación elemento delantero Support fixation élément antérieur Front section mounting bracket | | |
| 5 | 6193201 | Bicono 1-1/2" Casquillo biconico 1-1/2" Bicône 1-1/2" Push nipple 1-1/2" | | | 10 | 2030224 | Guarnizione Ø47,3/61x2 Junta Ø 47,3x61x2 Joint Ø 47,3x61x2 Gasket Ø 47,3x61x2 | | |
| 6 | 6000529 | Tirante M10x275 Tirante M10x275 Tirant M10x275 Tie-rod M10x275 | | 20 20 20 20 | 11 | 2041000 | Tappo cieco 1-1/2" Tapón ciego 1-1/2" Bouchon plein 1-1/2" Plug 1-1/2" | | |
| 6 A | 6000530 | Tirante M10x375 Tirante M10x375 Tirant M10x375 Tie-rod M10x375 | | 30 30 30 30 | 12 | 6000620 | Prigioniero M10x58 Espártago M10x58 Goujon M10x58 Stud M10x58 | | |
| 6 B | 6000531 | Tirante M10x475 Tirante M10x475 Tirant M10x475 Tie-rod M10x475 | | 40 40 40 40 | 13 | 6000611 | Prigioniero M10x75 Espártago M10x75 Goujon M10x75 Stud M10x75 | | |
| 7 | 6275201 | Bacinella Bandeja de recolección Cuvette Tray | | 20 20 20 20 | 14 | 6068600 | Turbolatore Turboladores Turbulateur Baffle | | |
| 7 A | 6275202 | Bacinella Bandeja de recolección | | 30 30 | 15 | 6000701 | Isolante portina pulizia Panel aislante puerta limpieza Isolation porte de ramonage Cleaning door insulation | | |

• Recommended stock parts - Componenti da tenere a scorta

COD. 3850009/444

TYPE SOLO

DATE 24.01.2000

PAGE 3/7

| POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|----------|-----------|---|----------------------------------|------|
| 16 | 6000800 | Portina pulizia Puerta de limpieza Porte de ramonage Cleaning door | | |
| 17 | 6095700 | Diaframma portina Diafragma puerta quemador Bouclier pareflamme en fonte Flame guard | | |
| 18 | 6095001 | Isolante flangia bruciatore Panel aislante puerta quemador Isolation plaque porte-brûleur Burner mounting plate insulation | | |
| 19 | 6094802 | Flangia porta-bruciatore Brida puerta quemador Plaque porte-brûleur Burner mounting plate | | |
| 20 | 6094900 | Portina spia Puerta mirilla Regard de flamme Sight | | |
| 21 | 2050000 | Molla portina spia Muelle puerta mirilla Ressort regard de flamme Spring TDM | | |
| 22 | • 6228000 | Valvola ritegno 1/4" Valvula de retencion 1/4" Soupape de retenue 1/4" Non return valve 1/4" | | |
| 23 | 2041112 | Tappo ridotto 1-1/2"x3/4" Tapón reducido 1-1/2"x3/4" Bouchon réduit 1-1/2"x3/4" Reducer 1-1/2"x3/4" | 20-30 20-30 20-30 20-30 | |
| 23 A | 2041111 | Tappo ridotto 1-1/2"x1" DX Reduccion 1-1/2"x1" Réduction droite 1-1/2"x1" Reducer 1-1/2"x1" right | 40 40 40 40 | |
| 24 | 6000607 | Prigioniero M10x33 Espártago M10x33 | | |

| POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|----------|-----------|--|-------|----------------------|
| 25 | • 6052700 | Goujon M10x33 Stud M10x33 Guarnizione gomma ovale Tornillo junta ovalada Joint oval en caoutchouc piracriten Flange oval gasket | | |
| 26 | 6194406 | Barilotto di mandata flangiato Barrica de ida instalación Séparateur d'air Flanged air separator | | |
| 27 | 6271000 | Deflettore barilotto di sfiato Deflector para barrica de ida instal. Chicane séparateur d'air Air separator deflector | | |
| 28 | • 6013100 | Sfiato automatico 3/8" Purgador automatico 3/8" Purgeur d'air automatique 3/8" Automatic air vent 3/8" | | |
| 29 | 5004201 | Guaina 1/2" L.275 Vaina 1/2" L=275 Douille rallongée 1/2" L=275 Bulb holder 1/2" L=275 | | |
| 30 | • 2030206 | Guarnizione Ø33,5/45x2 Junta de goma Ø 33,5x45x2 Joint caoutchouc Ø 33,5x45x2 Piracriten gasket Ø 33,5x45x2 | | |
| 31 | 6158800 | Circolatore Grundfos UPS 25-50 Bomba GRUNDFOS UPS 25-50 Circulateur Grundfos UPS 25-50 Pump Grundfos UPS 25-50 | | |
| 32 | 6236509 | Tubo mandata impianto Tubo ida instalación Tuyau départ installation Flow pipe | | 20 20 20 20 |
| 32 A | 6236510 | Tubo mandata impianto Tubo ida instalación Tuyau départ installation Flow pipe | | 30 30 30 30 |

• Recommended stock parts - Componenti da tenere a scorta

COD. 3850009/444

TYPE SOLO

DATE 24.01.2000

PAGE 4/7

| POSITION | CODE | DESCRIPTION | MODEL | NOTE | POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|----------|---------|-------------------------------------|-------|-------|----------|---------|-------------------------------------|-------|------|
| 32 B | 6236511 | Tubo mandata impianto | | 40 | 38 A | 6275502 | Tuyau alimentation de la chaudière | | 20 |
| | | Tubo ida instalación | | 40 | | | Water feeding pipe | 20 | |
| | | Tuyau départ installation | | 40 | | | Tubo alimentazione caldaia | 30 | |
| | | Flow pipe | | 40 | | | Tubo alimentación caldera | 30 | |
| 33 | 2030227 | Guarnizione Ø12/ 18x2 | | | 38 B | 6275503 | Tuyau alimentation de la chaudière | | 30 |
| | | Junta Ø 12x18x2 | | | | | Water feeding pipe | 30 | |
| | | Joint Ø 12x18x2 | | | | | Tubo alimentazione caldaia | 40 | |
| | | Gasket Ø 12x18x2 | | | | | Tubo alimentación caldera | 40 | |
| 34 | 6130701 | Tubo collegam. vaso espansione | | 20 | 39 | 2030226 | Tuyau alimentation de la chaudière | | 40 |
| | | Tubo conexión vaso de expansión | | 20 | | | Water feeding pipe | 40 | |
| | | Tuyau liaison vase expansion | | 20 | | | Guarnizione Ø10,2/ 14,8x2 | | |
| | | Pipe connnecting expansion vessel | | 20 | | | Junta Ø 10,2x14,8x2 | | |
| 34 A | 6130702 | Tubo collegam. vaso espansione | | 30 | 40 | 6146601 | Grifo RUVAL 3/8" | | |
| | | Tubo conexión vaso de expansión | | 30 | | | Robinet Ruval 3/8" MM | | |
| | | Tuyau liaison vase expansion | | 30 | | | Boiler loop 3/8" | | |
| | | Pipe connecting expansion vessel | | 30 | | | | | |
| 34 B | 6130703 | Tubo collegam. vaso espansione | | 40 | 41 | 6179102 | Rubinetto scarico 1/2" | | |
| | | Tubo conexión vaso de expansión | | 40 | | | Grifo de vaciado 1/2" | | |
| | | Tuyau liaison vase expansion | | 40 | | | Robinet de décharge 1/2" | | |
| | | Pipe connnecting expansion vessel | | 40 | | | Drain cock 1/2" | | |
| 35 | 6040200 | Valvola sicurezza 1/2" 3bar | | | 42 | 6179200 | Portagomma con ghiera | | |
| | | Válvula seguridad 1/2" | | | | | Puerta goma | | |
| | | Soupape de sécurité 1/2"M 3 bar | | | | | Porte-gomme avec collier de serrage | | |
| | | Pressure relief valve 1/2" M | | | | | Holder complete with locking nut | | |
| 36 | 5139110 | Vaso espansione l.7 - 1/2" M | | 20 | 43 | 6009522 | Staffa fissaggio fianchi | | |
| | | Vaso de expansión l.7 - 1/2" M | | 20 | | | Abrazadera de fijación laterales | | |
| | | Vase d'expansion l.7 - 1/2" M | | 20 | | | Plaque de fixation côtés jaquette | | |
| | | Expansion vessel l.7 - 1/2" M | | 20 | | | Casing sides fixing bracket | | |
| 36 A | 5187700 | Vaso espansione l.10 - 1/2" M | | 30-40 | 44 | 6275800 | Pannello anteriore | | |
| | | Vaso de expansión l.10 - 1/2" M | | 30-40 | | | Panel frontal | | |
| | | Vase d'expansion l.10 - 1/2" M | | 30-40 | | | Panneau antérieur | | |
| | | Expansion vessel l.10 - 1/2" M | | 30-40 | | | Front panel | | |
| 37 | 6189506 | Staffa blocc. vaso espansione | | | 45 | 6274851 | Pannello fianco destro | | 20 |
| | | Estribo blocaje vaso de expansión | | | | | Panel lateral derecho | 20 | |
| | | Plaque de fixation vase d'expansion | | | | | Côté droite | 20 | |
| | | Expansion vessel locking bracket | | | | | Casing right hand side panel | 20 | |
| 38 | 6275501 | Tubo alimentazione caldaia | | 20 | | | | | |
| | | Tubo alimentación caldera | | 20 | | | | | |

• Recommended stock parts - Componenti da tenere a scorta

COD. 3850009/444

TYPE SOLO

DATE 24.01.2000

PAGE 5/7

| POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|----------|---------|----------------------------------|-------|------|
| 45 A | 6274852 | Pannello fianco destro | | 30 |
| | | Panel lateral derecho | | 30 |
| | | Côté droite | | 30 |
| | | Casing right hand side panel | | 30 |
| 45 B | 6274853 | Pannello fianco destro | | 40 |
| | | Panel lateral derecho | | 40 |
| | | Côté droite | | 40 |
| | | Casing right hand side panel | | 40 |
| 46 | 2003000 | Piolino zincato M5 | | |
| | | Tetón M5 Zn | | |
| | | Piton M5 Zn | | |
| | | Pin M5 Zn | | |
| 47 | 2015050 | Molla plastica nera | | |
| | | Muelle blanca de plástica | | |
| | | Ressort en plastique | | |
| | | White plastic spring | | |
| 48 | 6274951 | Pannello fianco sinistro | | 20 |
| | | Panel lateral izquierdo | | 20 |
| | | Côté gauche | | 20 |
| | | Casing left hand side panel | | 20 |
| 48 A | 6274952 | Pannello fianco sinistro | | 30 |
| | | Panel lateral izquierdo | | 30 |
| | | Côté gauche | | 30 |
| | | Casing left hand side panel | | 30 |
| 48 B | 6274953 | Pannello fianco sinistro | | 40 |
| | | Panel lateral izquierdo | | 40 |
| | | Côté gauche | | 40 |
| | | Casing left hand side panel | | 40 |
| 49 | 6261004 | Pannello porta strumenti | | |
| | | Panel de mandos | | |
| | | Tableau de bord | | |
| | | Control panel | | |
| 50 | 6003600 | Termostato regolazione 30-85°C | | |
| | | Termóstato de regulación 30-85°C | | |
| | | Aquastat de réglage 30-85°C | | |
| | | Boiler stat 30-85°C | | |
| 51 | 6247318 | Tappo per foro manopola | | |
| | | Tapón agujero de la manopla | | |

| POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|----------|---------|--|-------|------|
| 52 | 6013501 | Bouchon pour trou de la poignée | | |
| | | Plug for knob hole | | |
| | | Interruttore bipolare | | |
| | | Interruptor luminoso | | |
| 53 | 6247317 | Interrupt. bipolaire avec lampe témoin | | |
| | | Switch with warning light | | |
| | | Piastrina per foro interruttore | | |
| 55 | 6119342 | Placa agujero interruptor | | |
| | | Plaque de fermeture | | |
| | | Plate for switch hole | | |
| 56 | 6070412 | Tappo per foro termostato | | |
| | | Tapón agujero termóstato | | |
| | | Bouchon pour trou de l'aquastat | | |
| | | Plug for stat hole | | |
| 57 | 2003020 | Segnalatore luminoso | | |
| | | Indicador luminoso | | |
| | | Poussoir lumineux | | |
| | | Red pushing button | | |
| 58 | 6146100 | Piolino plastica nero | | |
| | | Tetón de plástica | | |
| | | Piton en plastique | | |
| | | Plastic pin | | |
| 59 | 6146000 | Idrometro | | |
| | | Hidrómetro | | |
| | | Hydromètre | | |
| | | Hydrometer | | |
| 60 | 6240103 | Termometro 0-120°C | | |
| | | Termómetro 0-120°C | | |
| | | Thermomètre 0-120°C | | |
| | | Thermometer 0-120°C | | |
| 61 | 6261101 | Manopola nera serigr. Ø35 | | |
| | | Manopla Ø 35 | | |
| | | Poignée noire Ø 35 | | |
| | | Handle Ø 35 | | |
| 61 | 6261101 | Protezione strumenti | | |
| | | Proteccion instrumentación | | |
| | | Protection tableau de bord | | |
| | | Control panel rear protecting plate | | |

• Recommended stock parts - Componenti da tenere a scorta

COD. 3850009/444

TYPE SOLO

DATE 24.01.2000

PAGE 6/7

| POSITION | CODE | DESCRIPTION | MODEL | NOTE | POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|----------|---------|--|-------|----------------------|----------|--|---|----------------------|------|
| 62 | 2211000 | Morsettiera Caja de bornes Bornier à 12 bornes Terminal strip | | | | | Panneau antérieur Casing front door | | |
| 63 | 6261204 | Sportello per centralina Portillo para centralita Guichet pour régulation Flap door | | | 70 | 2010301 | Dado cieco calotta M10 Tuerca ciega M10 Ecrou M10 Cap nut M10 | | |
| 64 | 6261205 | Sportello trasparente Portillo transparente Guichet transparent Transparent flap door | | | 71 | • 6001400 | Termostato sicurezza Termóstato seguridad Aquastat de sécurité Safety stat | | |
| 65 | 6275301 | Pannello posteriore Panel posterior Panneau postérieur Rear panel | | | | 5178050 | Gr. pannello strumentato Panel de mandos completo Tableau de bord complèt Complete control panel | | |
| 66 | 2051000 | Molla piatta di frizione Muella contactor bulbo Ressort de friction Contact spring | | | 6027604 | Cavo alimentazione elettrica Cable alimentación electrica Câble d'alimentation électrique Flying lead | | | |
| 67 | 6275051 | Coperchio Tapa de la envolvente Couvercle de la jaquette Casing top cover | | 20 20 20 20 | 6260987 | Connettore cablato 4 poli Conexion cableada 4 polaridades Connecteur câblé à 4 bornes 4 pole cable connector | | | |
| 67 A | 6275052 | Coperchio Tapa de la envolvente Couvercle de la jaquette Casing top cover | | 30 30 30 30 | 5188601 | Mantello senza pannello strumentato Envolvente sin panel de mandos Jaquette complète sans tableau de bord Complete casing without control panel | | 20 20 20 20 | |
| 67 B | 6275053 | Coperchio Tapa de la envolvente Couvercle de la jaquette Casing top cover | | 40 40 40 40 | 5188602 | Mantello senza pannello strumentato Envolvente sin panel de mandos Jaquette complète sans tableau de bord Complete casing without control panel | | 30 30 30 30 | |
| 68 | 2015000 | Molla MQ/A8 Muella MQ/A8 Ressort MQ/A8 Spring clip MQ/A8 | | | 5188603 | Mantello senza pannello strumentato Envolvente sin panel de mandos Jaquette complète sans tableau de bord Complete casing without control panel | | 40 40 40 40 | |
| 69 | 6275101 | Portina anteriore Panel delantero | | | 6050900 | Coppia chiavi assemblaggio elementi Kit llaves Barres pour assemblage chaudière Set boiler assembling tools | | | |

• Recommended stock parts - Componenti da tenere a scorta

COD. **3850009/444**

TYPE **SOLO**

DATE **24.01.2000**

PAGE **7/7**

| POSITION | CODE | DESCRIPTION | MODEL | NOTE | POSITION | CODE | DESCRIPTION | MODEL | NOTE |
|--|---------|-------------|-------|------|----------|------|-------------|-------|------|
| Prodotti di Riferimento: Productos de referencia: Produits de référence: Products reference: | | | | | | | | | |
| 8094200 | Solo 20 | | | | | | | | |
| 8094300 | Solo 30 | | | | | | | | |
| 8094400 | Solo 40 | | | | | | | | |
| Verificare la corrispondenza con la targhetta caldaia. Verificar la correspondencia con la tarijeta de la caldera. Vérifier la correspondance avec la plaque signalétique. Check the correspondence with the boiler data plate. | | | | | | | | | |

• Recommended stock parts - Componenti da tenere a scorta